



<http://sms-gateway.app>

[info@sms-gateway.app](mailto:info@sms-gateway.app)

## SMS-Gateway API Details

Send SMS API:

Method : GET

URL: [https://app.sms-gateway.app/services/send.php?key={API\\_KEY}&number={Mobile No}&message={Message}&option=1&type=sms&useRandomDevice=1](https://app.sms-gateway.app/services/send.php?key={API_KEY}&number={Mobile No}&message={Message}&option=1&type=sms&useRandomDevice=1)

Sample Response :

```
{"success":true,"data":{"messages":[{"number":"0000000000000","message":"Message","deviceID":26,"simSlot":null,"schedule":null,"userID":1,"groupID":"ZbtlwQwfljt1DqDAxE6145ee33c47f00.10518561","status":"Pending","resultCode":null,"errorCode":null,"type":"sms","attachments":null,"retries":null,"sentDate":"2021-09-18T19:48:35+0600","deliveredDate":null,"expiryDate":null,"ID":96273}]},"error":null}
```

Description:

Key : API Key

Number : E164 formatted Mobile No. ( Example 8801799275718 )

Message : Your Full SMS Message

Option = 1 Represent round robin for all device, 0 Represent Static Device

Type : SMS (for SMS Message). For MMS use mms.

Use Random device: If you want to use random device use 1. Otherwise don't use

If there is any issue the response will be:

Error Response :

```
{"success":false,"data":null,"error":{"code":500,"message":"This device doesn't exist in database."}}
```

## SMS-Gateway API Details

### DLR

Method : GET

<https://app.sms-gateway.app/dlr/?apikey=66747c7348e9ed421421321cedacew3f&smsid=96273>

Sample Response :

```
[{"status":true}, {"data":[{"ID":"96273","number":"8801712094169","message":"111","schedule":null,"sentDate":"2021-09-18 19:48:35","deliveredDate":null,"expiryDate":null,"status":"Pending","resultCode":null,"errorCode":null,"retries":"0","userID":"1","deviceID":null,"simSlot":null,"groupID":"ZbtlwQwfljtlDqDAxE6145ee33c47f00.10518561","type":"sms"}]}]
```

If the DLR URL have any wrong information the response will be:

```
[{"status":false}, {"data":{"message":"no message found with SMS ID : 962743 and User API KEY : 66747c7348e9ed421421321cedacew3f"}}]
```

Sample Php Code:

## SMS-Gateway API Details

```
<?php
$API_KEY = "YOUR_API_KEY" ;
$Mobile_No = "Your_Mobile_No" ;
$Message = "Your_Message" ;
$PARAMETER =array(
"key" => $API_KEY ,
"option" => 1 ,
"number" => $Mobile_No ,
"message" => $Message ,
"type" => "sms" ,
"useRandomDevice" => 1 );
$FORM_FIELDS = http_build_query($PARAMETER) ;
$URL = "https://app.sms-gateway.app/services/send.php" ;
$URL .= "?" . $FORM_FIELDS ;
$headers = array(
'Connection: keep-alive',
'User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US; rv:1.8.1.3) Gecko/20070309
Firefox/2.0.0.3',
'contentType: "application/json"; charset=utf-8',
);
try {
    $ch = curl_init() ;
    curl_setopt($ch, CURLOPT_URL, $URL) ;
    curl_setopt($ch, CURLOPT_HEADER, false) ;
    curl_setopt($ch, CURLOPT_FOLLOWLOCATION, true) ;
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    curl_setopt($ch, CURLOPT_IPRESOLVE, CURL_IPRESOLVE_V4 );
    curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, false);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
    curl_setopt($ch, CURLOPT_CUSTOMREQUEST, "GET" );
    curl_setopt($ch, CURLOPT_POST, false);
    curl_setopt($ch, CURLOPT_HTTPHEADER, $headers);
    curl_setopt($ch, CURLOPT_TIMEOUT, 30);
    curl_setopt($ch, CURLOPT_CONNECTTIMEOUT, 30);
    curl_setopt($ch, CURLOPT_MAXREDIRS, 10);
    curl_setopt($ch, CURLOPT_ENCODING, "");
    curl_setopt($ch, CURLOPT_AUTOREFERER, true);
    curl_setopt($ch, CURLOPT_USERAGENT, "Mozilla/5.0 (Windows; U; Windows NT 5.1; en-US;
rv:1.8.1.3) Gecko/20070309 Firefox/2.0.0.3");
    curl_setopt($ch, CURLOPT_VERBOSE, false);
    curl_setopt($ch, CURLOPT_HTTP_VERSION, CURL_HTTP_VERSION_1_1);
    $curl_response = curl_exec($ch) ;
    curl_close($ch) ;
}
catch(Exception $e){
    throw new Exception("Curl Error : ",0,$e);
    return false ;
}
$FOREIGN_SMS_ID = null ;
$sms_status = (array) @json_decode($curl_response,true) ;
if (isset($sms_status['data']['messages'][0]['ID']))
    {
        $FOREIGN_SMS_ID = $sms_status['data']['messages'][0]['ID'] ;
    }
else
    {
        return false ;
    }

return "success - Message Id : " . $FOREIGN_SMS_ID ;
}
```